



<https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kgr15-2-n-hc-under-counter-2-glass-door-freezer/>

# Turbo Air K-Series KGR15-2-N(HC) Under Counter 2 Glass Door Freezer

RRP  
RRP: \$5,588.00 inc GST  
RRP: \$5,080.00 +GST  
**\$4,127.00** +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



Introducing the Turbo Air K-Series KGR15-2-N(HC) Under Counter 2 Glass Door Freezer, the perfect solution for efficient and stylish refrigeration. With its Digital Temperature Control System and high-tech monitor, you have precise control over the inner temperatures ranging from 1° to 8°. The left-hand side compressor and front breathing system ensure optimal performance and space-saving installation. Featuring two glass doors and a generous capacity of 425 liters, this undercounter freezer offers both convenience and ample storage space.

## Description

The Turbo Air K-Series KGR15-2-N(HC) Under Counter 2 Glass Door Freezer is a high-quality refrigeration unit designed for under-counter placement in commercial establishments. Featuring two glass doors, this under-bench freezer offers convenient

<https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kgr15-2-n-hc-under-counter-2-glass-door-freezer/>

Commercial Fridge and Freezer Sales Australia. All product images are provided for illustration purposes only. All specifications are subject to manufacturer changes without notice, so please check on the manufacturer's website for current product data.

access and excellent visibility to the stored items.

Equipped with a digital temperature control system, you can easily adjust and maintain the desired temperature inside the freezer. The left-hand side compressor and front breathing system ensure efficient operation and easy installation in compact spaces. The high-tech monitor continuously monitors the operating conditions, guaranteeing optimal performance.

This freezer utilizes the environmentally friendly HC refrigerant and incorporates a hot gas condensate system, preventing water overflow and improving energy efficiency. The ventilated cooling system ensures uniform airflow throughout the cabinet, while the high-density and CFC-free polyurethane insulation provide excellent thermal efficiency.

Turbo Air - Digital Temperature Control System  
2 Glass doors Underbench Fridge  
Left hand side Compressor  
Front breathing system applied  
High-Tech Monitor  
HC Refrigerant applied  
Hot Gas Condensate System  
Capacity - 425 Litre  
Inner Temps 1 to 8  
Ventilated Cooling  
High-Density and CFC free Polyurethane Insulation  
Adjustable, Heavy Duty, PE Coated Wire Shelves  
Stainless steel exterior and Interior  
Refrigerant R-290 Amps 1.4, Power 280W  
Dimensions 1500x700x855mm Inc Castors  
Weight 110Kgs  
220V-240v/50Hz/1, 10amp plug  
2 Adjustable shelf included

## Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Width (mm)	\$1,500.00
Height (mm)	\$855.00
Depth (mm)	\$700.00
Brand	Turbo Air
Model	KGR15-2-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	1°-8°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290
External Dimensions (mm)	1500 mm (W) x 700 mm (D) x 855 mm (H)
Capacity/Volume	425
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	280W
Door Information	Door hinged = LH, RH

Packaged Dimensions (mm)	1270 mm (W) x 820mm (D) x 925mm (H)
Interior Lighting	Yes
GEMS & MEPS Approved	Yes
RRP	\$5,080.00