

Phone: 1300 733 715

Email: admin@fridgeandfreezer.com.au



https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kuf12-2d-2-n-hc-solid-door-2-drawer-under-counter-freezer/

Turbo Air K-Series KUF12-2D-2-N(HC) Solid Door 2 Drawer Under Counter Freezer

\$3,600.00 +GST

View more Product Details

Add to Cart

Request a Quote



Introducing the Turbo Air K-Series KUF12-2D-2-N(HC) Solid Door 2 Drawer Under Counter Freezer, a versatile and efficient freezing solution for commercial kitchens. This under bench freezer features a single door and two drawers, offering convenient storage options for your frozen goods. The left-hand side compressor and front breathing system ensure optimal performance and easy installation. The digital temperature control system and the high-tech monitor allow precise temperature adjustments and real-time monitoring for maintaining perfect freezing conditions. With a capacity for 1 door and 2 full-size 150mm deep GN pans (155 liters + 2 X 1/1 GN pans), this freezer provides ample storage space.

Description

The Turbo Air K-Series KUF12-2D-2-N(HC) Solid Door 2 Drawer Under Counter Freezer is a versatile and efficient freezing solution designed for commercial kitchens. With its innovative design and high-quality construction, this underbench freezer provides convenient storage and easy access to your frozen ingredients.

Featuring one door and two drawers, this freezer allows for organized and separate storage of different items. The full-size 150mm deep GN pans (2 X 1/1 GN pans) can be easily accommodated, providing flexibility in storing various ingredients or prepared dishes. Please note that GN pans are not included with the freezer.

Equipped with a digital temperature control system and a high-tech monitor, precise temperature adjustments and monitoring are at your fingertips. The left-hand side compressor and front breathing system contribute to the space-saving design, allowing for installation under counters or in tight spaces.

The Turbo Air KUF12-2D-2-N(HC) utilizes HC refrigerant and features a hot gas condensate system for efficient and environmentally friendly operation. The ventilated cooling system ensures consistent temperature distribution, while the high-density and CFC-free polyurethane insulation provides excellent thermal insulation to keep your ingredients at the desired temperature range of -21 to -12 degrees Celsius.

Turbo Air - Digital Temperature Control System 1 Door 2 Drawers Underbench Freezer Left hand side Compressor Front breathing system applied High-Tech Monitor HC Refrigerant applied Hot Gas Condensate System

Capacity - 1 door & 2 full size 150mm deep GN-pans (155???????? + 2 X 1/1 GN pans)

Inner Temps -21 to -12 Ventilated Cooling

High-Density and CFC free Polyurethane Insulation

Stainless steel exterior and Interior SUS 439

Refrigerant R-290 Amps 2.5, Power 400W

Dimensions 1200x700x855mm Inc Castors

Weight 97Kgs

220V-240v/50Hz/1, 10amp plug

1 Adjustable shelves included

GN pans not included

Maximum 150mm deep GN pan

No LED

Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KUF12-2D-2-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	-21°~-12°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290
External Dimensions (mm)	1200 mm (W) x 700 mm (D) x 855 mm (H)
Capacity/Volume	311
Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	400W
Door Information	Door hinged = LH, RH

Packaged Dimensions (mm)	1270 mm (W) x 760mm (D) x 1105mm (H)
Interior Lighting	No
GEMS & MEPS Approved	Yes
Manufacturer's Suggested Retail Price	\$4,500.00