



<https://www.commercialfridgefreezer.com.au/turbo-air-k-series-kur18-3-n-hc-stainless-steel-3-solid-door-under-bench-refrigerator/>

# Turbo Air K-Series KUR18-3-N(HC) Stainless Steel 3 Solid Door Under Bench Refrigerator

**\$3,300.00** +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



The Turbo Air K-Series KUR18-3-N(HC) Stainless Steel 3 Solid Door Under Bench Refrigerator is a powerful and versatile refrigeration solution designed for commercial use. Featuring a digital temperature control system and a left-hand side compressor, it ensures precise and efficient cooling. The front breathing system and hot gas condensate system enhance its performance and reliability. With three solid doors, this under-bench fridge provides ample storage space and a capacity of 538 liters. It is equipped with adjustable, heavy-duty, PE-coated wire shelves for flexible organization. The stainless steel exterior and interior guarantee durability, while the high-density polyurethane insulation ensures excellent temperature retention. Operating on 220V-240V power, this refrigerator includes three adjustable shelves and is suitable for a 10-amp plug. Its dimensions are 1800x700x855mm (including castors), and it weighs 109 kilograms.

## Description

---

The Turbo Air K-Series KUR18-3-N(HC) Stainless Steel 3 Solid Door Under Bench Refrigerator is a reliable and spacious refrigeration solution designed for commercial kitchens. It is equipped with a digital temperature control system, allowing precise regulation of the interior temperature. With three solid doors, this underbench fridge offers ample storage space for perishable items.

Featuring a left-hand side compressor and front breathing system, this refrigerator ensures efficient cooling and ventilation. It incorporates a high-tech monitor for easy monitoring and adjustment of the inner temperature, which can be set between 1 to 8 degrees Celsius. The use of HC refrigerant and a hot gas condensate system make it environmentally friendly and energy-efficient. With a capacity of 538 liters, this fridge provides generous storage space. The interior features ventilated cooling, ensuring even temperature distribution throughout the unit. It is built with high-density and CFC-free polyurethane insulation to maintain the desired temperature effectively.

The Turbo Air K-Series KUR18-3-N(HC) comes with adjustable, heavy-duty, PE-coated wire shelves, allowing flexible organization of your items. The stainless steel exterior and interior ensure durability and ease of cleaning. With dimensions of 1800x700x855mm (including castors) and a weight of 109Kgs, this under bench refrigerator is compact and easy to move.

Turbo Air - Digital Temperature Control System  
3 Solid doors Underbench Fridge  
Left hand side Compressor  
Front breathing system applied  
High-Tech Monitor  
HC Refrigerant applied  
Hot Gas Condensate System  
Capacity - 538L  
Inner Temps 1 to 8  
Ventilated Cooling  
High-Density and CFC free Polyurethane Insulation  
Adjustable, Heavy Duty, PE Coated Wire Shelves  
Stainless steel exterior and Interior  
Refrigerant R-290 Amps 2.5, Power 280W  
Dimensions 1800x700x855mm Inc Castors  
Weight 109Kgs  
220V-240v/50Hz/1, 10amp plug  
3 Adjustable shelves included

## Additional Information

---

Country of Manufacture	Asia
External Colour	Stainless Steel
Brand	Turbo Air
Model	KUR18-3-N
Warranty	3 Years on Parts and Labour
Temperature Operating Range C	1°~8°
Temperature Display / Control	Digital control
Climate / Ambient Temperature Rating	35°
Refrigerant	R-290
External Dimensions (mm)	1800 mm (W) x 700 mm (D) x 855 mm (H)
Capacity/Volume	538

Other Details	Turbo Air Self Cleaning Condenser Upright Top Mount on castors
Power Usage	280W
Packaged Dimensions (mm)	1870 mm (W) x 760 mm (D) x 925 mm (H)
GEMS & MEPS Approved	Yes
Manufacturer's Suggested Retail Price	\$3,910.00