



<https://www.commercialfridgefreezer.com.au/skope-prospec-pg21-upr-2-sd-solid-door-upright-gn-2-1-fridge/>

Skope ProSpec PG21.UPR.2.SD Solid Door Upright GN 2/1 Fridge

\$6,769.68 +GST

[View more Product Details](#)

[Add to Cart](#)

[Request a Quote](#)



Skope ProSpec PG21.UPR.2.SD Solid Door Upright GN 2/1 Fridge

Skope's ProSpec Single Door food storage fridge offers a great option for any commercial kitchen with its GN 2/1 Storage Configuration, professional-grade quality that Maximizes strength and durability and ActiveCore Technology offers Exceptional energy efficiency and the Easy-to-service removable cartridges make maintenance easy. With the ability to use Skope-connect and its product types pre-sets you can simply press a button to switch between general food safe, poultry, red meat, fresh seafood, live seafood, dairy, and dessert temperature ranges

Description

Skope ProSpec PG21.UPR.2.SD Solid Door Upright GN 2/1 Fridge

- Dimensions: 1410 W x 865 D x 2185-2200 H (mm),

<https://www.commercialfridgefreezer.com.au/skope-prospec-pg21-upr-2-sd-solid-door-upright-gn-2-1-fridge/>

Commercial Fridge and Freezer Sales Australia. All product images are provided for illustration purposes only. All specifications are subject to manufacturer changes without notice, so please check on the manufacturer's website for current product data.

- Doors: 2,
- Door Type: Self-closing, lockable, solid swing door with stay open position at 90°C,
- Shelves: 5 stainless steel GN 2/1 adjustable wire shelves per door on a fully, removable and cleanable racking system,
- Material: 304 AISI stainless steel interior and exterior on all faces,
- Gross Volume (Litres): 1266,
- Total Floor Area (m²): 1.21,
- Weight (kg): 230,
- Refrigeration Unit: Self-Contained,
- Temperature Range: 1°C to 4°C (adjustable with SKOPE-connect 1°C to 15°C),
- Max Ambient Temperature: 40°C,
- Refrigerant: R290 / 99g (natural refrigerant),
- GEMS Class: 5M1,
- GEMS Energy Consumption (kWh/24h): 3.91,
- kW: 0.72,
- Current Draw (Amps): 3.0 (includes unit 2.6),
- Electrical Safety Climate Class: 5 (40°C/40% RH),
- Interior Lighting: 2 x 1400mm, 16W LED light (door activated),
- Controller: SCS Connect (SKOPE-connect compatible),
- Connectivity: Bluetooth® wireless technology,
- Refrigeration System: Top-mounted, integral, removable ActiveCore refrigeration unit (UTHCNI-0010),
- Power Cord: Supplied with 2.3m, 10 Amp plug and lead,
- Power Supply: 220-240 Volts a.c. 50 Hz, single phase supply.

Additional Information

Country of Manufacture	Asia
External Colour	Stainless Steel
Width (mm)	\$1,410.00
Height (mm)	\$2,185.00
Depth (mm)	\$865.00
Brand	Skope
Model	PG21.UPR.2.SD
Warranty	5 Years on Parts and Labour on registration
Temperature Operating Range C	1°C to 4°C (adjustable to 15°C)
Climate / Ambient Temperature Rating	Ambient Rating C = 40°C
Temperature Display / Control	SCS Connect
Refrigerant	R290
External Dimensions (mm)	140mm (W) x 865mm (D) x 2185mm (H)
Internal Dimensions (mm)	1250mm (W) x 675mm (D) x 1500mm (H)
Capacity/Volume	Volume = 1266ltr
Power Information	Power supply = 220-240 Volts 10Amp Plug
Power Usage	Power usage kWh/24hr/m ² = 2.4 kWh/24h
Door Information	stainless steel GN 2/1 shelves: 530mm wide x 650mm deep
Interior Lighting	Yes
Internal Colour	Stainless Steel
Defrost Auto or Manual	Automatic
No. of Shelves Included	10

<https://www.commercialfridgefreezer.com.au/skope-prospec-pg21-upr-2-sd-solid-door-upright-gn-2-1-fridge/>

Commercial Fridge and Freezer Sales Australia. All product images are provided for illustration purposes only. All specifications are subject to manufacturer changes without notice, so please check on the manufacturer's website for current product data.

Clear Door Opening Width	730mm
Clear Ventilation Space Required	300mm at Top
Gastronorm	Yes
About the Product	Commercial Fridge & Freezer Sales Australia is committed to providing best price, best quality brands and best support in Australia.
Manufacturer's Suggested Retail Price	\$8,420.00